

## 2025-2026 Annual Fire Mitigation Action Plan

Locality	Reserve	Action	Scheduled	Q1 (Jul-Sept)	Q2 (Oct-Dec)	Q3 (Jan-Mar)	Q4 (Apr-Jun)	Comments	Funding source	Target ha / km (approx.)	Objective
Cecil Plains	Cemetary Road Open Space	Establish funding to upgrade fire trails to minimum standard (Q1), and begin planning (Q1).	Q1 2025/26	Complete	N/A	N/A			Capital	2.5 km	Secure funds for rolling program to upgrade to minimum standard of Class 2 fire trail in future funding year.
	Cheetham Street Bushland	Planned burn within WMZ (WMZ (33) - 1 & WMZ (33) - 2)	Q4 2025/26	Complete	N/A	N/A		Planned Burn completed Aug 2025	Operations	9 ha	Fuel reduction for asset protection. Planned burning in accordance with PB guidelines with a Tolerable Fire Interval of 6-10 years, and less than 30% burnt (approx. 3 ha)
		Upgrade APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	N/A	N/A		Upgraded prior to Planned Burn Aug 2025	Operations	1 ha	Upgrade APZ to provide defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
Cotswold Hills	John Trousdell Memorial Park	Planned burn within APZ (APZ (21) - 2 & APZ (21) - 3)	Q1 2025/26	Postponed	Postponed	Postponed		Postponed to Q4	Operations	4 ha	Fuel reduction for proposed APZ upgrade. Planned burning in accordance with PB guidelines with a Tolerable Fire Interval of 6-10 years, and less than 30% burnt
		Plan and establish funding to upgrade fire trails to minimum standard.	Q2 2025/26	Complete	N/A	N/A			Capital	1.5 km	Secure funds for rolling program to upgrade to minimum standard of Class 2 fire trail in future funding year.
		Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	6.5 ha	Maintain APZ to provide defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
		Fire trail maintenance & slashing of tracks	Quarterly	Complete	Complete	Complete			Operations	2 km	Standard maintenance for Class 2 fire trails
Cranley	Cranley Escarpment	Establish funding to upgrade fire trails to minimum standard.	Q3 2025/26	Complete	N/A	N/A			Capital	5 km	Secure funds for rolling program to upgrade to minimum standard of Class 2 fire trail in future funding year.
		Planned burn within WMZ (WMZ (22) - 1 & WMZ (22) - 2)	Q4 2025/26	N/A	N/A	N/A		Preparation completed, fuel loadings established	Operations	13 ha	Fuel reduction for asset protection. Planned burning in accordance with PB guidelines with a Tolerable Fire Interval of 6-10 years, and less than 30% burnt (approx. 3.9 ha).
		Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	2 ha	Maintain APZ to provide defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
		Fire trail maintenance & slashing of tracks	Quarterly	Complete	Complete	Complete			Operations	5 km	Standard maintenance for Class 2 fire trails
Cressbrook	Lake Cressbrook	Establish funding to upgrade fire trails to minimum standard (Q1), and begin planning (Q1).	Q3 2025/26	Complete	N/A	N/A			Capital	46.5 km	Secure funds for rolling program to upgrade to minimum standard of Class 2 fire trail in future funding year.
		Planned burn within portions of APZ and LMZ. (APZ (1) - 1 & LMZ (1) - 13)	Q4 2025/26	N/A	N/A	N/A		Preparation completed fuel loadings established.	Operations	13.2 ha	Fuel reduction for landscape protection and ecological outcomes in accordance with a Tolerable Fire Interval of 4-15 years, and 40-60% mosaic burn (approx. 6.6 ha)
		Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	78 ha	Maintain APZ as defensible space surrounding assets
		Fire trail maintenance	Quarterly	Complete	Complete	Complete			Operations	67.4 km	Standard maintenance for Class 1 (20.9 km) and Class 2 (46.5 km) fire trails
Crows Nest	Hartmann Reserve	Establish funding to upgrade fire trails to minimum standard	Q2 2025/26	Complete	N/A	N/A			Capital	6.7 km	Secure funds for rolling program to upgrade to minimum standard of Class 2 fire trail in future funding year.
	Lake Perseverance	Plan and establish funding to upgrade fire trails to minimum standard.	Q2 2025/26	Complete	N/A	N/A			Capital	6.7 km	Secure funds for rolling program to upgrade to minimum standard of Class 2 fire trail in future funding year.
		Planned burn (Collaboration with QPWS) within LMZ (LMZ (1) - 19, 21 & 22)	Q1 2024/25	Delayed	Complete	N/A		Edge burn completed Q1 Planned Burn completed Dec 2025	Operations	155 ha	Fuel reduction for landscape protection and ecological outcomes, with a Tolerable Fire Interval of 4-8 years for grasses, 8-20 years for shrubs, and 40-60% mosaic burn (approx. 77.5 ha).
		Planned burn (Collaboration with Bunya People's Aboriginal Corporation) within LMZ (LMZ (1) - 15)	Q2 2024/25	N/A	Postponed	Postponed		Preparation completed Q2/Q3, Planned burn postponed to Q4	Operations	100 ha	Fuel reduction for landscape protection and ecological outcomes, with a Tolerable Fire Interval of 4-8 years for grasses, 8-20 years for shrubs, and 40-60% mosaic burn (approx. 50 ha).
		Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	4.5 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
		Fire trail maintenance & slashing of tracks	Quarterly	Complete	Complete	Complete			Operations	15.3 km	Standard maintenance for Class 1 (8.6 km) and Class 2 (6.7 km) fire trails
Drayton	Mount Peel Bushland	Preparation for planned burn within proposed WMZ	Q4 2025/26	N/A	N/A	Commenced		Planned burn scheduled for 2026/27	Operations	29 ha	To develop WMZs that meets minimum standards for a planned burn to occur in 2026/27
		Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	3ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
		Fire trail maintenance & slashing of tracks	Quarterly	Complete	Complete	Complete			Operations	17 km	Standard maintenance for Class 2 fire trails
Ellangowan	Passmore Reserve	Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	7 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
Gowrie Junction	Birdwood Conservation Park	Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	28 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
Groomsville	Lake Cooby	Planned burn within APZ (APZ (1) - 10)	Q4 2025/26	Complete	N/A	N/A		Planned Burn completed Aug 2025	Operations	13 ha	Fuel reduction for asset protection, with a Tolerable Fire Interval of 6-10 years, and less than 30% of landscape burnt (6.5 ha).
		Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	30 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
		Fire trail maintenance & slashing of tracks	Quarterly	Complete	Complete	Complete			Operations	32.1 km	Standard maintenance for Class 1 and 2 fire trails
Highfields	Highfields Falls Bushland	Plan and establish funding to upgrade fire trails to minimum standard.	Q2 2025/26	Complete	N/A	N/A			Capital	2.5 km	Secure funds for rolling program to upgrade to minimum standard of Class 2 fire trail in future funding year.
		Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	3 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
		Fire trail maintenance & slashing of tracks	Quarterly	Complete	Complete	Complete			Operations	2.5 km	Standard maintenance for Class 1 and 2 fire trails
	Kratzke Road Open Space	Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	5 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
	Timperley Drive Bushland	Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	3 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
	Woolmer Road Open Space	Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Delayed	Complete		Q2 delivery delayed - recovered in Q3	Operations	5 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
Merrits Creek	Taylor Station	Preparation for planned burn within proposed LMZ	Q4 2025/26	N/A	N/A	Commenced		Upgrades to control lines planned and contractor engaged	Operations	51 ha	To develop WMZ that meets minimum standards for a planned burn

## 2025-2026 Annual Fire Mitigation Action Plan

Locality	Reserve	Action	Scheduled	Q1 (Jul-Sept)	Q2 (Oct-Dec)	Q3 (Jan-Mar)	Q4 (Apr-Jun)	Comments	Funding source	Target ha / km (approx.)	Objective
		Fire trail maintenance & slashing of tracks	Quarterly	Complete	Complete	Complete			Operations	8 ha	Standard maintenance for Class 1 and 2 fire trails
Middle Ridge	Glen Lomond Park	Plan and establish funding to upgrade fire trails to minimum standard.	Q1 2025/26	Complete	N/A	N/A			Capital	3.9 km	Secure funds for rolling program to upgrade to minimum standard of Class 2 fire trail in future funding year.
		Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	16 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
		Fire trail maintenance & slashing of tracks	Quarterly	Complete	Complete	Complete			Operations	3.9 km	Standard maintenance for Class 2 fire trails
	Nielsen Park	Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	6 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
	Stenner Street Park	Maintain and upgrade APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	6 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
Mount Lofty	Jubilee Park	Plan and establish funding to upgrade fire trails to minimum standard.	Q2 2025/26	Complete	N/A	N/A			Capital	19.5 km	Secure funds for rolling program to upgrade to minimum standard of Class 2 fire trail in future funding year.
		Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	28 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
		Fire trail maintenance & slashing of tracks	Quarterly	Complete	Complete	Complete			Operations	19.5 km	Standard maintenance for Class 2 fire trails
	Mount Lofty Park	Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	2ha	Monitor OFH and vegetation condition to assess prescription objectives. Target OFH Very high or below
	Warana Avenue Park	Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	1ha	Monitor OFH and vegetation condition to assess prescription objectives. Target OFH Very high or below
	Windemere Terrace Park	Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	2ha	Monitor OFH and vegetation condition to assess prescription objectives. Target OFH Very high or below
Prince Henry Heights	Panorama Crescent Park	Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Delayed	Complete		Q2 delivery delayed - recovered in Q3	Operations	1 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
	Prince Henry Drive Park	Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	2 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
		Fire trail maintenance & slashing of tracks	Quarterly	Complete	Complete	Complete			Operations	7 km	Standard maintenance for Class 2 fire trails
Rangeville	Barry Griffith Park	Fire trail maintenance & slashing of tracks	Quarterly	Complete	Complete	Complete			Operations	3 km	Standard maintenance for Class 2 fire trails
	Hancock Street Park	Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	4 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
	JE Duggan Park	Fire trail maintenance & slashing of tracks	Quarterly	Complete	Complete	Complete			Operations	6 km	Standard maintenance for Class 2 fire trails
	McKnight Park	Fire trail maintenance & slashing of tracks	Quarterly	Complete	Complete	Complete			Operations	1 km	Standard maintenance for Class 2 fire trails
	Murrumba Road Park	Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Delayed	Complete		Q2 delivery delayed - recovered in Q3	Operations	7 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
	Picnic Point Bushland Reserve	Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	1 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
		Fire trail maintenance & slashing of tracks	Quarterly	Complete	Complete	Complete			Operations	3.4 km	Standard maintenance for Class 1 and 2 fire trails
	Tobruk Memorial Drive Park	Maintain and upgrade APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete		Upgrade planned for Q4	Operations	1 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
Ravensbourne	Christy Road Bushland	Fire trail maintenance & slashing of tracks	Quarterly	Complete	Delayed	Complete		Q2 delivery delayed - recovered in Q3	Operations	3 km	Standard maintenance for Class 2 fire trails
Redwood	Redwood Park	Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	3.5ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
		Fire trail maintenance & slashing of tracks	Quarterly	Complete	Complete	Complete			Operations	9 km	Standard maintenance for Class 2 fire trails
Wilsonton	Catalina Drive Park	Maintain APZs: Mowing to maintain cleared APZ, pruning small trees and shrubs, separating tree canopies, weeds treated, any cut material removed.	Quarterly	Complete	Complete	Complete			Operations	3 ha	Maintain APZ as defensible space surrounding assets. Maintain OFH at Low by using mechanical hazard reduction in locations of higher risk fuels within APZ
Wilsonton Heights	Lyness Park	Maintain LMZ: Manual reduction of fuels can be used in place of or in conjunction with planned burning when identified as being appropriate.	Quarterly	Complete	Complete	Complete			Operations	1 ha	Maintenance of public access areas, and monitoring of OFH and vegetation condition to assess prescription objectives. Target OFH Very high or below

### List of Abbreviations

<b>APZ</b>	Asset ProtectionZone
<b>WMZ</b>	Wildfire Management Zone
<b>LMZ</b>	Land Management Zone
<b>OFH</b>	Overall Fuel Hazard

### Legend

Commenced	Action has commenced but is not due for completion
In progress	Action is proceeding towards future completion
Complete	Action is completed

Not commenced	Action has not yet commenced at this time
Delayed	Action has commenced but is experiencing delays

Postponed	Action has been postponed for future completion
Cancelled	Action has been CANCELLED with no future completion now planned

N/A	Action is either not due to commence or has been completed in a previous quarter
-----	--